

SAFETY DATA SHEET

INSTAPAK® SIMPLYFLEX™ COMPONENT "B"



Section 1. Identification

Product identifier : INSTAPAK® SIMPLYFLEX™ COMPONENT "B"

Product code : Not available.

Other means of : Not available.

identification

Product type : Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Product use : Component used for producing Instapak® polyurethane foam.

Area of application : Industrial applications.

Manufacturer : Sealed Air Pty Ltd

A.B.N. 65 004 207 532 1126 Sydney Road, Fawkner VIC 3060

Australia

Telephone:+61 3 9358 2244

e-mail address of person responsible for this SDS

Emergency telephone number (with hours of

operation)

: Sealedair.com

: Chemtrec: +61 290372994 (24/7)

Section 2. Hazard(s) identification

Classification of the : H302 ACUTE TOXICITY (oral) - Category 4

substance or mixture H315 SKIN CORROSION/IRRITATION - Category 2

H319 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2A

GHS label elements

Hazard pictograms



Signal word : WARNING

Hazard statements : H302 - Harmful if swallowed.

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

Precautionary statements

Date of issue/Date of revision : 22/12/2022 Date of previous issue : 15/10/2020 Version : 2 1/13

Section 2. Hazard(s) identification

Prevention : P280 - Wear protective gloves: < 1 hour (breakthrough time): nitrile rubber,

neoprene, butyl rubber, PVC, Viton®. Wear eye or face protection.

P270 - Do not eat, drink or smoke when using this product.

P264 - Wash thoroughly after handling.

Response : P362 + P364 - Take off contaminated clothing and wash it before reuse.

P302 + P352 - IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.

Storage : Not applicable.

Disposal: P501 - Dispose of contents and container in accordance with all local, regional,

national and international regulations.

Supplemental label

elements

: Not applicable.

Other hazards which do not : None known. result in classification

Section 3. Composition and ingredient information

Substance/mixture

: Mixture

Other means of identification

: Not available.

Ingredient name	% (w/w)	CAS number
Alcohols, C11-14-iso-, C13-rich, ethoxylated	≥10 - ≤30	78330-21-9
Glycerol, propoxylated	≥10 - ≤30	25791-96-2
2-[2-(dimethylamino)ethoxylethanol	<5	1704-62-7

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

The total concentration of ingredients in this product, reported or not in this section, is 100%.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 15 minutes. Get medical attention.

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Date of issue/Date of revision : 22/12/2022 Date of previous issue : 15/10/2020 Version : 2 2/13

Section 4. First aid measures

Skin contact

: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 15 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : Causes serious eye irritation.

Inhalation : No known significant effects or critical hazards.

Skin contact: Causes skin irritation.Ingestion: Harmful if swallowed.

Over-exposure signs/symptoms

Eye contact: Adverse symptoms may include the following:

pain or irritation watering

redness

Inhalation : No specific data.

Skin contact: Adverse symptoms may include the following:

irritation redness

Ingestion : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed.

The exposed person may need to be kept under medical surveillance for 48 hours.

Specific treatments: No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. It

may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing

media

: Use dry chemical, CO₂, water spray (fog) or foam.

Unsuitable extinguishing

media

: Do not use water jet.

Specific hazards arising from the chemical

: In a fire or if heated, a pressure increase will occur and the container may burst.

Date of issue/Date of revision : 22/12/2022 Date of previous issue : 15/10/2020 Version : 2 3/13

Section 5. Firefighting measures

Hazardous thermal decomposition products

: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders:

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and material for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Date of issue/Date of revision : 22/12/2022 Date of previous issue : 15/10/2020 Version : 2 4/13

Section 7. Handling and storage

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

including any incompatibilities

Conditions for safe storage, : Store between the following temperatures: 10 to 40°C (50 to 104°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls and personal protection

Control parameters

Occupational exposure limits

None.

Biological exposure indices

None known.

Appropriate engineering controls

Environmental exposure controls

- : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. < 1 hour (breakthrough time): nitrile rubber, neoprene, butyl rubber, PVC,

Date of issue/Date of revision : 22/12/2022 Date of previous issue : 15/10/2020 Version : 2 5/13

Section 8. Exposure controls and personal protection

Viton®

Body protection : Personal protective equipment for the body should be selected based on the task

being performed and the risks involved and should be approved by a specialist

before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be

selected based on the task being performed and the risks involved and should be

approved by a specialist before handling this product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the

appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important

aspects of use.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

<u>Appearance</u>

Physical state : Liquid.

Colour : Clear. Straw.

Odour : Ammonia. [Slight]
Odour threshold : Not available.

pH : Not available.

Melting point/freezing point : -7°C (19.4°F)

Boiling point, initial boiling

point, and boiling range

: 100°C (212°F)

Flash point : Not available.
Evaporation rate : Not available.
Flammability : Not available.

Lower and upper explosion

limit/flammability limit

: Not available.

Vapour pressure : <0.13 kPa (<1 mm Hg)

Relative vapour density : >1 [Air = 1]
Relative density : Not available.

Density : 1.04 g/cm³

Solubility(ies) : 1.04 g/cm

Media	Result
pold water hot water	Easily soluble Easily soluble

Partition coefficient: n-

octanol/water

: Not applicable.

Auto-ignition temperature : Not available.

Decomposition temperature : Not available.

Viscosity : Not available.

Flow time (ISO 2431) : Not available.

Particle characteristics

Median particle size : Not applicable.

Date of issue/Date of revision : 22/12/2022 Date of previous issue : 15/10/2020 Version : 2 6/13

Section 9. Physical and chemical properties and safety characteristics

Other information

Physical/chemical properties comments

: No additional information.

Section 10. Stability and reactivity

Reactivity

: No specific test data related to reactivity available for this product or its ingredients.

Chemical stability

: The product is stable. Store between the following temperatures: 10 to 40°C (50 to 104°F).

Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerisation will not occur.

Conditions to avoid

: Heat and open flames

Incompatible materials

: Reactive or incompatible with the following materials: oxidising materials, reducing materials, acids and alkalis.

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Alcohols, C11-14-iso-, C13-rich, ethoxylated	LD50 Oral	Rat	500 to 2000 mg/ kg	-
Glycerol, propoxylated	LD50 Dermal	Rabbit - Male, Female	>2000 mg/kg	-
	LD50 Oral	Rat	500 mg/kg Estimated.	-
2-[2-(dimethylamino)ethoxy] ethanol	LC50 Inhalation Vapour	Rat - Male, Female	>392.2 mg/m ³	4 hours
	LD50 Dermal	Rabbit	1715 mg/kg Estimated.	-
	LD50 Oral	Rat	2216 mg/kg Estimated.	-

Conclusion/Summary Irritation/Corrosion : Mixture: Harmful if swallowed.

Date of issue/Date of revision : 22/12/2022 Date of previous issue : 15/10/2020 Version : 2 7/13

Section 11. Toxicological information

Product/ingredient name	Result	Species	Score	Exposure	Observation
Alcohols, C11-14-iso-, C13-rich, ethoxylated	Eyes - Irritant	Rabbit	-	-	-
	Skin - Negative	Rabbit	0	-	-
Glycerol, propoxylated	Eyes - Mild irritant	Rabbit	-	-	-
	Skin - Mild irritant	Rabbit	-	-	-
2-[2-(dimethylamino)ethoxy] ethanol	Eyes - Visible necrosis	Rabbit	-	-	-
	Skin - Visible necrosis	Rabbit	_	1 to 4 hours	≤14 days

Conclusion/Summary

Skin: Mixture: On basis of test data: Irritating to skin.

Method Detail:

- 431 In Vitro Skin Corrosion: Human Skin Model Test

- 439 In Vitro skin irritation: Reconstructed human epidermis test

Eyes: Mixture: On basis of test data - Isolated Chicken Eye (ICE) test: Irritating to eyes.

Respiratory: Mixture: Non-irritating to the respiratory system.

Sensitisation

	Route of exposure	Species	Result
Glycerol, propoxylated 2-[2-(dimethylamino)ethoxy] ethanol	skin	Guinea pig	Not sensitizing
	skin	Guinea pig	Not sensitizing

Conclusion/Summary

Skin : Not available.

Respiratory : Not available.

Mutagenicity

Product/ingredient name	Test	Experiment	Result
Glycerol, propoxylated	-	Experiment: In vitro Subject: Bacteria	Negative
2-[2-(dimethylamino)ethoxy] ethanol	OECD 473 In vitro Mammalian Chromosomal Aberration Test	Experiment: In vitro Subject: Mammalian-Animal	Negative

Conclusion/Summary

: Not available.

Carcinogenicity

Conclusion/Summary: Not available.

Reproductive toxicity

Product/ingredient name	Maternal toxicity	Fertility	Developmental toxin	Species	Dose	Exposure
Glycerol, propoxylated 2-[2-(dimethylamino)ethoxy] ethanol	Negative - Negative	- Negative Negative	Negative - Negative	Rat - Male, Female Rat - Male, Female	Oral: 1000 mg/ kg NOAEL Oral Inhalation: 50.8 mg/ m³ NOAEL	58 days - -

Date of issue/Date of revision : 22/12/2022 Date of previous issue : 15/10/2020 Version : 2 8/13

Section 11. Toxicological information

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary: Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes

of exposure

: Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

Potential acute health effects

Eye contact: Causes serious eye irritation.

Inhalation : No known significant effects or critical hazards.

Skin contact: Causes skin irritation.Ingestion: Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: Adverse symptoms may include the following:

pain or irritation watering

redness

Inhalation : No specific data.

Skin contact: Adverse symptoms may include the following:

irritation redness

Ingestion : No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Long term exposure

Potential immediate : Not available.

effects

Potential delayed effects: Not available.

Potential chronic health effects

Product/ingredient name	Result	Species	Dose	Exposure
Glycerol, propoxylated	Chronic NOAEL Oral	Rat - Male, Female	≥1000 mg/kg (similar material)	4 weeks
2-[2-(dimethylamino)ethoxy] ethanol	Chronic NOAEL Inhalation Dusts and mists	Rat - Male, Female	50.8 mg/m ³	696 hours

Date of issue/Date of revision: 22/12/2022Date of previous issue: 15/10/2020Version: 29/13

Section 11. Toxicological information

Conclusion/Summary
 No known significant effects or critical hazards.
 Carcinogenicity
 No known significant effects or critical hazards.
 Mutagenicity
 No known significant effects or critical hazards.
 Reproductive toxicity
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
INSTAPAK SIMPLYFLEX COMPONENT B Alcohols, C11-14-iso-, C13-rich, ethoxylated Glycerol, propoxylated 2-[2-(dimethylamino)ethoxy]ethanol	1596.4 500 500 2216	N/A N/A	N/A N/A	N/A N/A N/A N/A	N/A N/A N/A N/A

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Alcohols, C11-14-iso-, C13-rich, ethoxylated	Acute EC50 1 to 10 mg/l (similar material)	Algae	72 hours
	Acute EC50 1 to 10 mg/l (similar material)	Daphnia	48 hours
	Acute LC50 1 to 10 mg/l (similar material)	Fish	96 hours
Glycerol, propoxylated	EC10 >10000 mg/l (similar material)	Micro-organism	3 hours
	Acute EC50 >100 mg/l	Algae - Desmodesmus subspicatus	72 hours
	Acute EC50 >100 mg/l	Daphnia - Daphnia magna	48 hours
	Acute LC50 >1000 mg/l	Fish - Leuciscus idus	96 hours
2-[2-(dimethylamino)ethoxy] ethanol	Acute EC50 160 mg/l	Algae - Selenastrum capricornutum	72 hours
	Acute EC50 >100 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 320 mg/l	Fish - Leuciscus idus	96 hours

Conclusion/Summary: Not available.

Persistence and degradability

Date of issue/Date of revision	: 22/12/2022	Date of previous issue	: 15/10/2020	Version : 2	10/13
--------------------------------	--------------	------------------------	--------------	-------------	-------

Section 12. Ecological information

Product/ingredient name	Test	Result	Dose	Inoculum
Alcohols, C11-14-iso-, C13-rich, ethoxylated	OECD 301B Ready Biodegradability - CO2 Evolution Test	>60 % - 28 days	-	Activated sludge
Glycerol, propoxylated 2-[2-(dimethylamino)ethoxy] ethanol	OECD 302B Inherent Biodegradability: Zahn-Wellens/ EMPA Test	40 % - Not readily - 28 days 10 to 20 % - Not readily - 28 days	-	- Activated sludge
	OECD 301F Ready Biodegradability - Manometric Respirometry Test	2 % - Not readily - 28 days	-	Activated sludge

Conclusion/Summary

: Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Alcohols, C11-14-iso-, C13-rich, ethoxylated Glycerol, propoxylated 2-[2-(dimethylamino)ethoxy] ethanol	-	-	Readily Not readily Not readily

Bioaccumulative potential

ogP _{ow}	BCF	Potential
.82 to -0.73 .778	-	low low
.8	2 to -0.73	2 to -0.73

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff

Date of issue/Date of revision : 22/12/2022 Date of previous issue : 15/10/2020 Version : 2 11/13

Section 13. Disposal considerations

and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	ADG	ADR/RID	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-
Transport hazard class(es)	-	-	-	-
Packing group	-	-	-	-
Environmental hazards	No.	No.	No.	No.

Special precautions for user : Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in

the event of an accident or spillage.

Transport in bulk according : Not available.

to IMO instruments

Section 15. Regulatory information

Standard for the Uniform Scheduling of Medicines and Poisons

Not regulated.

Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

Australia inventory (AIIC) : All components are listed or exempted.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Date of issue/Date of revision : 22/12/2022 Date of previous issue : 15/10/2020 Version : 2 12/13

Section 16. Any other relevant information

Other special considerations

: All Rights reserved.

No part of this publication may be made publicly available by print, microfilm,

photoprint, or any other means of publication without written permission of Sealed

Air.

History

Date of issue/Date of

revision

: 22/12/2022

Date of previous issue

: 15/10/2020

Version

: 2

Prepared by

: Sphera Solutions

Key to abbreviations

: ADG = Australian Dangerous Goods

ADR = The European Agreement concerning the International Carriage of

Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available

SUSMP = Standard Uniform Schedule of Medicine and Poisons

UN = United Nations

Procedure used to derive the classification

Classification	Justification
\ , , \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Calculation method On basis of test data On basis of test data

References

: Work Health and Safety Regulations 2011, as ammended

Preparation of Safety Data Sheets for Hazardous Chemicals, Code of Practice, Safe

Work Australia

Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG),

National Transport Commission

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.







Date of issue/Date of revision : 22/12/2022 Date of previous issue : 15/10/2020 Version : 2 13/13